CLAY PAVERS

Naturally best.



EGAL 300'S CLAY PAVERS

Regal Gold 300 X 300mm

Regal Tan 300 X 300mm

Regal Sand 300 X 300mm

Regal Charcoal 300 X 300mm

Regal Pewter 300 X 300mm

Regal Mocha 300 X 300mm

Regal Rojo 300 X 300mm

Regal Bullnose — Gold, Tan, Sand Charcoal, Pewter 300 X 300mm



Introducing the new, large, square 300 x 300mm pavers in our popular Regal finish. Seven sophisticated, warm, earthy colours let you create inviting open areas, mix and match, and highlight borders and features. Regal colours and finishes are also available in standard paver size, 9 x 9, 400 x 400mm, and sweeping 460 x 230mm Maxipave sizes, so you can combine for interesting patterns and make a statement. Salt safe Bullnose profile available for swimming pools and edging as well.



10/00/01/0

B

11

÷

EGENCY 300'S CLAY PAVERS

Regency Gold 300 X 300mm

Regency Tan 300 X 300mm

Regency Sand 300 X 300mm

Regency Charcoal 300 X 300mm

Regency Pewter 300 X 300mm

Regency Mocha 300 X 300mm

Regency Rojo 300 X 300mm



We introduce more choice with the Regency 300 x 300mm pavers. Regency pavers add style to the home as successfully as they do to commercial areas. Textured and slip resistant, now with charcoal, pewter and mocha – large square Regency pavers extend your versatility – inviting you to create patterns by mixing and matching with standard paver size and 9 x 9.



AXIPAVE CLAY PAVERS

 $\begin{array}{l} \text{Maxipave Gold} \\ \text{460} \times \text{230mm} \end{array}$











Bigger is better! And rectangles rule! Introducing a world first – Claypave's exclusive 460 x 230mm 'Large Format' pavers. The effect is like the offset pattern of brickwork, on a giant scale – making small areas feel roomier, and large areas gigantic.



EGAL and DIONE FACE 400's CLAY PAVERS

Regal Gold 400 X 400mm

Regal Tan 400 X 400mm

Regal Sand 400 X 400mm

Regal Charcoal 400 X 400mm

Regal Pewter 400 X 400mm

Regal Bullnose — Sand, Gold, Tan, Charcoal, Pewter 400 X 400mm

> Stoneface Gold 400 X 400mm

Stoneface Tan 400 X 400mm

Stoneface Sand 400 X 400mm

Stoneface Charcoal 400 X 400mm

Stoneface Pewter 400 X 400mm



Big, bold and confident! That's the impression you make with Claypave 'Large Format' 400 x 400mm pavers. (That's the full width of this brochure opened out). Choose from five warm, stylish colours in our popular Regal finish – or explore the ultra-natural effect of our five cool new Stoneface texture pavers. Consider the possibilities of combining, and contrasting with other sizes and styles from the impressive Claypave range!

EGAL 9X9 CLAY PAVERS





Regal Sand 9 X 9

Regal Charcoal 9 X 9

Regal Pewter 9 X 9

Regal Mocha 9 X 9





Now we take you beyond tan and gold with a full range of colours in stylish 230 x 230mm Regal finish pavers. Create with seven cheerful, sun-loving colours. Count on the extra comfort of the special cushion-finish edge to speak volumes in your design about care, quality, and attention to detail.



Regal Rojo and Sand Inlay 9 x 9

Sumerile

EGAL CLAY PAVERS

Regal Gold

Regal Tan

Regal Sand

Regal Charcoal

Regal Pewter

Regal Mocha

Regal Rojo

Regal Coper — Gold, Tan, Sand Pewter, Charcoal, Mocha, Rojo

Regal Bullnose — Sand, Gold, Tan Pewter, Charcoal, Mocha, Rojo



Available in standard paver size as well as 9 x 9, Regal smooth finish lets you create your own piece of Tuscany using any of the seven colours. Matching bullnose and copers for pool surrounds let you carry them right to the water's edge, capturing the warm sunny colours and spirit of the Mediterranean.



EGENCY CLAY PAVERS

Regency Gold Body/9 X 9

Regency Tan Body/9 X 9

Regency Sand Body/9 X 9

Regency Charcoal Body/9 X 9

Regency Pewter Body/9 X 9



Available in standard paver size and 9 x 9, Regency is one of Claypave's most durable pavers. The textured surface makes the Regency extra slip resistant. Available in hard-wearing commercial mixes, the Regency will give you a proud result in a domestic home design, while being able to still look great in areas of heavy duty use. The finish is quality, and the range of colours is an invitation to experiment with tones.

Regency Rojo Body/9 X 9

Regency Gold with Tan Border and Inlay

OBBLE & ANTIQUE CLAY PAVERS

Cobble Tan













The romance of bygone times, the sense of living history – these feelings are why antiques are treasured. The rustic, time-worn charm of these pavers strikes the same chord. If you want to create a cottage garden feel, a rustic atmosphere, or a sense of permanence and history, you cannot go past a little touch of the magic that Claypave Cobble or Antique pavers provide.



USCAN, AZTEC & SPLITS CLAY PAVERS

Tuscan Bullnose— Gold, Tan, Sand

> Tuscan Coper— Gold, Tan, Sand

Tuscan — Gold, Tan, Sand

Aztec Tan

Aztec Gold

Split — Tan, Gold, Sand 9 × 4.5

Split — Gold, Tan, Sand 9 × 9

Split — Sand, Gold, Tan 9 × 9



Poolside? Lawn edges? Need to keep everything low? Rely on Claypave Tuscan, Aztec and Split ranges to give you a flat, even, stylish finish. Tuscan is ideal for pool surrounds, assuring square edges, and the design flexibility of matching accessories like bullnoses and copers. Aztec offer soft-bevelled edges that match perfectly with Claypave Splits – which are perfect for areas where you are restricted by height.



Tuscan Gold with Tuscan Tan Bullnose


Transie

RENITE NATURAL STONE PAVERS

Arenite Bullnose — Sand , Jade 230 × 115mm









Natural stone was the original paving material, and still delivers an outstanding, luxurious result. So it's good news that Claypave have access to the attractive Arenite – to make real stone pavers available for you to use. Arenite pavers are available in standard paver size (230 x 115mm) as well as 'Large Format' 400 x 400mm pavers. With all these options, you have the choice of matching bullnose for steps and pool surrounds.



Why clay pavers?

The warm natural colours of clay pavers are all the way through the material, not added as an artificial dye or pigment. Then we fire them in a kiln to lock it in! Which makes them strong and durable, too. They resist staining, are so lowmaintenance they can be cleaned with detergent and water, and adjust better to underlying earth movement than poured-in-place concrete. It's also easy to replace a small section if stained or damaged. They are slip resistant and skid resistant, excellent for heavily trafficked wet areas, as well as walkways and driveways. You can expect quality clay pavers to hold firm and look good for generations.



For further information relating to the photographs in this brochure, please pavers for commercial projects.



Colours that last

Consistent, permanent colour. Kiln fired. Won't fade or change over time. Not affected by light.

Excellent slip resistance

Slip and skid resistant textured surface. Our clay pavers meet or exceed the Australian Standards for slip resistance.

Kiln fired for strength

Clay pavers are fired at over 1100°C. That's over four times hotter than a kitchen oven!

Salt safe

Clay pavers are suitable for use around salt-chlorinated pools and in saline environments.

| Body fail, barly charcedity Pewter/Mocha/RojoSize (mGold/Tan/Sand/Charcoal/ Pewter/Mocha230 xRegal Gold/Tan/Sand/Charcoal/ Pewter/Mocha230 xGold/Tan/Sand/Charcoal/ Pewter/Mocha/Rojo230 xGold/Tan/Sand/Charcoal/ Pewter/Mocha230 xGold/Tan/Sand/Charcoal/ Pewter/Mocha230 xGold/Tan/Sand/Charcoal/ Pewter/Mocha230 xGold/Tan/Sand/Charcoal/ Pewter/Mocha230 xGold/Tan/Sand/Charcoal/ Pewter/Mocha230 xGold/Tan/Sand/Charcoal/ Pewter/Mocha230 xGold/Tan/Sand/Charcoal/ Pewter/Mocha230 xPaver typeSize (mRegal BullnoseX | 115 x 30mm 115 x 40mm 115 x 50mm 115 x 60mm | The set of the set of th | Cobble Tan/Cream/Bronze/Mocha Paver type Antique Gold/Tan Paver type Tuscan Gold/Tan/Sand Paver type Tuscan Bullnose Gold/Tan/Sand | 230 x 115 x 50mm Size(mm) 230 x 115 x 50mm Size(mm) Size(mm) 230 x 115 x 40mm | Application Application Application Application Application |
|---|--|--|--|--|---|
| NochaCharcoal/ Pewter/Mocha230 xPaver typeSize(mreagal iold/Tan/Sand/Charcoal/ ewter/Mocha230 xreagal iold/Tan/Sand/Charcoal/ ewter/Mocha230 xreaded230 xreadedSize(mreadedSize(mreaded230 xreaded230 xreaded230 xreaded230 x | 230 x 50mm 115 x 30mm 115 x 40mm 115 x 50mm 115 x 60mm | A + C + C + C + C + C + C + C + C + C + | Paver type Antique Gold/Tan Paver type Tuscan Gold/Tan/Sand Paver type Tuscan Bullnose | Size(mm) 230 x 115 x 50mm Size(mm) 230 x 115 x 40mm Size(mm) | Application Application Application Image: state of the st |
| aver type Size(m regal 230 x iold/Tan/Sand/Charcoal/ 230 x | 115 x 30mm 115 x 40mm 115 x 50mm 115 x 60mm | A + C + C + C + C + C + C + C + C + C + | Antique Gold/Tan Paver type Tuscan Gold/Tan/Sand Paver type Tuscan Bullnose | 230 x 115 x 50mm Size(mm) 230 x 115 x 40mm Size(mm) | Application Application |
| ewter/MochaSize(megalSize(mold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha/Rojo230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 x | 115 x 30mm 115 x 40mm 115 x 50mm 115 x 60mm | ★ ≪ ★ ∞ ≪ ★ ∞ ∞ ≪ ★ ∞ ∞ ∞ ★ ∞ ∞ ∞ ∞ | Gold/Tan Paver type Tuscan Gold/Tan/Sand Paver type Tuscan Bullnose | Size(mm) 230 x 115 x 40mm Size(mm) | Application Application Application |
| egal230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xover typeSize(megal Bullnose old/Tan/Sand/Charcoal/ 230 x | 115 x 30mm 115 x 40mm 115 x 50mm 115 x 60mm | ★ ≪ ★ ∞ ≪ ★ ∞ ∞ ≪ ★ ∞ ∞ ∞ ★ ∞ ∞ ∞ ∞ | Gold/Tan Paver type Tuscan Gold/Tan/Sand Paver type Tuscan Bullnose | Size(mm) 230 x 115 x 40mm Size(mm) | Application Application Application |
| Regal230 xioid/Tan/Sand/Charcoal/ ewter/Mocha230 xioid/Tan/Sand/Charcoal/ ewter/Mocha230 xioid/Tan/Sand/Charcoal/ ewter/Mocha230 xioid/Tan/Sand/Charcoal/ ewter/Mocha230 xioid/Tan/Sand/Charcoal/ ewter/Mocha230 xioid/Tan/Sand/Charcoal/ ewter/Mocha230 xioid/Tan/Sand/Charcoal/ ewter/Mocha230 xioid/Tan/Sand/Charcoal/ ewter/Mocha230 xioid/Tan/Sand/Charcoal/ ewter/Mocha230 x | 115 x 30mm 115 x 40mm 115 x 50mm 115 x 60mm | ★ ↔ ★ ★ ↔ ★ ★ ↔ ★ ★ ↔ ★ | Tuscan Gold/Tan/Sand Paver type Tuscan Bullnose | 230 x 115 x 40mm Size(mm) | Application |
| old/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha/Rojo230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 xold/Tan/Sand/Charcoal/ ewter/Mocha230 x | 115 x 40mm 115 x 50mm 115 x 60mm | ★ ↔ ★ ★ ↔ ★ ★ ↔ ★ ★ ↔ ★ | Tuscan Gold/Tan/Sand Paver type Tuscan Bullnose | 230 x 115 x 40mm Size(mm) | Application |
| ewter/Mocha/Rojo 230 x old/Tan/Sand/Charcoal/ 230 x old/Tan/Sand/Charcoal/ 230 x old/Tan/Sand/Charcoal/ 230 x aver type Size(m egal Bullnose 230 x | 115 x 50mm 115 x 60mm | † | Gold/Tan/Sand Paver type Tuscan Bullnose | Size(mm) | Application |
| ewter/Mocha 250 x old/Tan/Sand/Charcoal/ 230 x ewter/Mocha 230 x aver type Size(m egal Bullnose 230 x old/Tan/Sand/Charcoal/ 230 x | 115 x 60mm | * 🚗 🎩 쵫 | Tuscan Bullnose | | • |
| ewter/Mocha 230 x aver type Size(m egal Bullnose old/Tan/Sand/Charcoal/ 230 x | _ | | | 230 x 115 x 40mm | * |
| egal Bullnose old/Tan/Sand/Charcoal/ 230 x | nm) A | pplication | | 1 | 1 🖚 🙈 |
| old/Tan/Sand/Charcoal/ 230 x | | | Paver type | Size(mm) | Application |
| | 115 x 40mm | 1 🖚 🙈 | Tuscan Coper Gold/Tan/Sand | 230 x 115 x 40mm | |
| aver type Size(m | וm) A | pplication | Paver type | Size(mm) | Application |
| tegal Coper Gold/Tan/Sand/Charcoal/ 230 x Pewter/Mocha/Rojo | 115 x 40mm | Ҟ ≈≈ | Aztec Gold/Tan | 230 x 115 x 40mm | ۵۰ 🖚 🕅 |
| aver type Size(m | m) A | pplication | Paver type | Size(mm) | Application |
| egency old/Tan/Sand/Charcoal/ 230 x ⁻ ewter/Mocha/Rojo | 115 x 40mm | Ҟ 🚗 🙈 | Splits* Gold/Tan/Sand/Mocha *Must be installed using good tilir | 230 x 115 x 20mm 230 x 230 x 20mm ng methods. | ጵ 🚗 🚝 🚿 |
| old/Tan/Sand/Charcoal/ 230 x - | 115 x 50mm | ጵ 🛲 🛲 🙈 | Paver type | Size(mm) | Application |
| old/Tan/Sand/Charcoal/ 230 x - ewter/Mocha | 115 x 60mm | 🕇 🚗 🎜 쵫 | Arenite Jade/Sand | 230 x 115 x 35mm 400 x 400 x35mm | ጵ 🚗 촳 |
| aver type Size(m | nm) A | pplication | Paver type | Size(mm) | Application |
| egency 9 X 9 230 x 2 | 230 x 40mm | 1 🖚 🙈 | Arenite Bullnose | 230 x 115 x 35mm | • |
| old/Tan/Sand/Charcoal/ ewter/Mocha/Rojo 230 x | 230 x 50mm | t 🚗 🎩 🙈 | Jade/Sand | 400 x 400 x 35mm | 1 🖚 🙈 |

Finishing Edge $230 \times 150/115 \times 50$ mm

Channel 230 × 115 × 65mm

Kerbs $230 \times 115 \times 125/65$ mm

visit our website at www.claypave.com. Also Claypave specialise in abrasive



CLAY PAVERS Naturally best.

Claypave pavers are among the world's best. We can boast a successful history dating back to the 1800s.

Claypave uses local clays, and fires with natural gas, so our pavers are gentle on the environment. The warm natural colours are exactly that – natural. There are no artificial colouring agents or dyes added. The colours are a result of the natural clay and the temperatures at which they are fired. They will never fade.

Claypave continually ensure that our large and varied range provides stylish, elegant and practical solutions to every situation. Our latest extension to the large format choice available is just another demonstration of this commitment.

Proudly Australian Claypave pavers are sought after by the world at large. We export to Japan, New Zealand, Pacific Islands, South East Asia, Middle East, Europe and the United States. Your Claypave project is in world class company!

Chum Street, Dinmore Qld 4303 Australia Phone: +61-7 3282 1444 or 1800 809 729 Fax: +61-7 3282 2686 E-mail: claypave@claypave.com www.claypave.com



N.B. Colour variation is normal in all our clay products. All sizes are nominal. All pavers should be laid as per CBPI specifications. The colour and textures indicated in this brochure are as accurate as can be represented by the printing process.

Your nearest distributor