





## VILLASTONE COLOURS

















CREAMSTONE

IVORY TAN

LIMESTONE

CHARCOAL

PEARL.

SANDSTONE

COFFEE

SAGE

## VILLASTONE TEXTURES



COARSE HEWNSTONE 400X400X40



SMOOTH HEWNSTONE 400X400X40



CROSSCUT 400x400x40



COURTSTONE 580x390x40



FORMPAVE 595x395x40



CLASSIC 500X500X35



BULLNOSE 400x400x40



COBBLE 200x130x40



BORDERS 405x100x40

## **Reference Chart**

(bold = bullnose side/square edge side)

		(bold bu	(bold builliose side/equale edge side)			
nominal sizing	available finishes	<u>bullnose</u>	square edge	90 degree	parallel bullnose	
400x400x40mm	hewnstone coarse	<b>400</b> x400	<b>400x</b> 400	400x400		
	hewnstone smooth	<b>400</b> x400	<b>400x</b> 350	400x400	400x400	
	cross cut	<b>400</b> x400		400x400		
500x500x35mm	Classic	<b>500x</b> 500			500x500	
	Dapple	<b>500x</b> 500				
580x400x40mm	courtsone	<b>580</b> x400				
600x400x40mm	formpave	<b>600x</b> 400				
450x450x40mm	gangsawn	<b>450x</b> 350				
500x300x50mm	Dapple					
accessories						
200x130x40mm	cobbled pieces					
400x100x40mm	criss cross border pieces					

\*Villastone pavers are dense concrete wet cast pavers.

\*Matching bullnose are available.

\*Villastone pavers are safe around salt water pools, though sealing with a penetrating sealer is recommended.

\*400x400x40mm size are safe for residential driveways (installed using the correct building practices)

\*All pavers are available in tile thickness. Bullnose in tile thickness are half round.

\*Apart from our listed basic colour range, other colours can be made to order.

Blends of colours are also possible.

\* Variations in colour can occur with the natural ingredients used. It's best to order products at the same time.

\*For ease of cleaning and long life protection sealing is recommended. Best results are

obtained after cleaning with an efflorescence remover prior to sealing.